





工具系统

Tooling System






ER弹簧夹头刀柄	ER Collet Chuck Holder(BT JT)	D003
高精度铣刀夹头刀柄	High precision milling chuck holder	D007
强力铣夹头刀柄	Power End Mill Chuck(BT JT)	D010
热装刀柄	Shrink-Fit Holder(BT JT)	D012
侧固式刀柄	Side-locked Holder(BT JT)	D016
面铣刀刀柄	Face Milling Holder(BT JT)	D018
钻夹头刀柄	Drill Chuck Holder(BT JT)	D022
TER微伸缩攻丝刀柄	TER Micro Fexile TappingHolder(BT JT)	D024
有扁尾莫氏圆锥孔刀柄	With Flat Morse Taper Shank Holder(BT JT)	D026
无扁尾莫氏圆锥孔刀柄	Without Flat Morse Taper Shank Holder(BT JT)	D028
BT三面刃铣刀柄	BT Three Face Milling Holder	D030
HSK-ER弹簧夹头刀柄	HSK-ER Spring Chuck Holder	D032
高精度铣刀夹头刀柄	High precision milling chuck Holder	D033
HSK强力铣刀柄	HSK Strong Milling Holder	D034
HSK烧结式热装刀柄	HSK Shrink-Fit Holder	D035
HSK侧固式刀柄	HSK Side Fixing Holder	D037
HSK自紧式钻夹头刀柄	HSK Self-tightening Drill Chuck Holder	D038
HSK面铣刀刀柄	HSK Face Milling Holder	D039
HSK有扁尾莫氏锥孔刀柄	HSK with Flat Morse Taper Holder	D040
附件	Enclosure	D041
技术资料	Technical Data	D047


锥柄标准 Taper Shank Standard

锥柄型式 (DIN69871-B) Taper Shank Type


JT30B



JT40B




JT50B




锥柄标准 Taper Shank Standard

锥柄型式 (MAS403BT) Taper Shank Type


BT30



BT40




BT50




锥柄标准 Taper Shank Standard

锥柄型式 (DIN2080) Taper Shank Type

ST40




ST50




锥柄标准 Taper Shank Standard

锥柄型式 (ANSI B5.50CATA) Taper Shank Type


CT30




CT40



CT50




HSK短锥型式-A型 HSK short cone type -A




锥柄型式 Taper Type	尺寸(mm) Dimension															
	d1	d2	d3	d1	d2	d3	d4	d9	d11	d12	f1	f2	f3	L1	L2	L5
SHK-25A	6.05	6	7	25	19.006	14	15	20	28.5	3	10	20	4.5	13	2.5	7.21
SHK-32A	7.05	7	9	32	24.007	17	19	26	37	4	20	35	16	16	3.2	8.92
SHK-40A	8.05	9	11	40	30.007	21	23	34	45	4	20	35	16	20	4	11.42
SHK-50A	10.54	12	14	50	38.009	26	29	42	59.3	7	26	42	18	25	5	14.13
SHK-63A	12.54	16	18	63	48.01	34	37	53	72.3	7	26	42	18	32	6.3	18.13
SHK-80A	16.04	18	20	80	60.012	42	50	68	88.8	7	26	42	18	40	8	22.85
SHK-100A	20.02	20	22	100	75.013	53	53	88	109.75	7	29	45	20	50	10	28.56

HSK短锥型式-B型 HSK short cone type -B




锥柄型式 Taper Type	尺寸(mm) Dimension													
	b1	d1	d2	d3	d4	d9	d11	d12	f1	f2	f3	L1	L2	L5
SHK-40B	9	40	24.007	17	19	34	45	4	20	35	16	16	3.2	8.92
SHK-50B	12	50	30.007	21	23	42	59.3	7	26	42	18	20	4	11.42
SHK-63B	16	63	38.009	26	29	53	72.3	7	26	42	18	25	5	14.13
SHK-80B	18	80	48.01	34	37	68	88.8	7	26	42	18	32	6.3	18.13
SHK-100B	20	100	60.012	42	46	88	109.25	7	26	45	20	40	8	22.85
SHK-125B	25	125	75.013	53	58	111	134.75	7	29	45	20	50	10	28.56

HSK短锥型式-E型 HSK short cone type -E



锥柄型式 Taper Type	尺寸(mm) Dimension								
	b1	d1	d2	d3	d4	f2	L1	L2	L5
HSK-25C	6.05	25	19.006	14	15	8	13	2.5	7.21
HSK-32C	7.05	32	24.007	17	19	10	16	3.2	8.92
HSK-40C	8.05	40	30.007	21	23	10	20	4	11.42
HSK-50C	10.54	50	38.009	26	29	12.5	25	5	14.13
HSK-63C	12.54	63	48.01	34	37	12.5	32	6.3	18.13
HSK-80C	16.04	80	60.012	42	46	16	40	8	22.85
HSK-100C	20.02	100	75.013	53	58	16	50	10	28.56

HSK短锥型式-F型 HSK short cone type -F



锥柄型式 Taper Type	尺寸(mm) Dimension								
	b1	d1	d2	d3	d4	f2	L1	L2	L5
HSK-40D	10	40	24.007	17	19	35	16	3.2	8.92
HSK-50D	12	50	30.007	21	23	35	20	4	11.42
HSK-63D	16	63	38.009	26	29	42	25	5	14.13
HSK-80D	18	80	48.01	34	37	42	32	6.3	18.13
HSK-100D	20	100	60.012	42	46	42	40	8	22.85